Model 2403 General Purpose Ratemeter

Features

- Pocket Size Ratemeter
- Accommodates a Variety of GM Detectors
- Simple to Use
- Metallic Case
- Rugged
- CE Certified

Introduction

The Model 2403 is a pocket size ratemeter with an analog display. It may be connected to any one of a number of GM-type detectors. This unit supports mR/hr exposure and cpm count rate measurements. The metallic case and convenient size make this a nice tool for a wide variety of applications.

Specifications

Part Number: 48-3136

INDICATED USE: general purpose survey APPLICABLE DETECTORS: Models 44-6, 44-7, 44-9, 44-38, and others THRESHOLD: detector dependent **ENERGY RESPONSE:** detector dependent **CONNECTOR**: series "C" (others available) **RESPONSE TIME**: typically 8 seconds from 10% to 90% of final reading **METER DIAL**: offered in different units (μ R/hr, mR/hr, μ Sv/h, mSv/h, cps, and others) **RANGE**: typically 0-200 mR/hr, varies with detector and units selected **MULTIPLIERS**: x0.1, x1, x10, and x100 AUDIO: click-per-event, may be turned off by moving selector to QUIET position **POWER**: 9 volt battery **BATTERY LIFE**: typically 250 hours with alkaline battery at normal background levels **CONSTRUCTION**: drawn and cast aluminum, with membrane panel SIZE: 4.6 x 8.4 x 13.5 cm (1.8 x 3.3 x 5.3 in.) (H x W x L), length 15.2 cm (6 in.) including connector **WEIGHT**: 0.4 kg (0.8 lb), including battery ALARM: no

Options

Belt Clip (Model L-4397-176), metal clip Handle (Model L-4397-165), convenient L-shaped handle Case (Model L-2310517), zippered nylon case with web belt loop Case (Model L-2311119), rugged water, dust, & crush resistant case Wrist Strap (Model L-4397-182), woven nylon lanyard with clip



Ludium Measurements, Inc. P.O. Box 810, Sweetwater, Texas 79556 Web: http://www.ludiums.com Tel: 800-622-0828 / 325-235-5494 / Fax: 325-235-4672 / Email: sales@ludiums.com Note: specifications subject to change without notification. We are not responsible for errors or omissions.

