

Model 43-1 Alpha Detector



Ludlum Measurements, Inc.



Two views to show the large window and the yellow to indicate the radiation type detected - in this case, yellow for alpha.

The Ludlum Model 43-1 is a large area scintillation detector for alpha radiation survey and wipe test analysis.

Specifications

Part Number: 47-1516

INDICATED USE: alpha survey

SUGGESTED INSTRUMENTS: general purpose survey meters, ratemeters, and scalers

DETECTOR TYPE: scintillator, ZnS (Ag)

PHOTOMULTIPLIER TUBE: 3.8 cm (1.5 in.) diameter, magnetically shielded

DETECTOR OPERATING VOLTAGE: typically 500 to 1200 volts

WINDOW: 1.2 mg/cm² metalized polyester (1.3 mg/cm² recommended for outdoor use)

WINDOW AREA: 83 cm² active; 75 cm² open

NON-UNIFORMITY: less than 10%

EFFICIENCY (4 π): ALPHA: 33% for ²³⁹Pu


BACKGROUND: 3 cpm or less

CONNECTOR: series "C", others available

CONSTRUCTION: aluminum housing with beige powder coat

SIZE: 12.2 x 24.9 cm (4.8 x 9.8 in.) (Dia x L)

WEIGHT: 0.9 kg (2 lb)



Model 180-16 Wide Diameter Sample Holder

Option: Model 180-16 Wide Diameter Sample Holder provides repeatable geometry for counting wipes, filter paper, or slides, up to 10.2 cm (4 in.) diameter. Sample trap offers selectable spacings of 0.32, 0.64, 1.3, 2.5, and 5.1 cm (0.125, 0.25, 0.5, 1.0, and 2 in.) Part Number 47-1132

Ludlum Measurements, Inc. P.O. Box 810, Sweetwater, Texas 79556

Web: <http://www.ludlums.com> Tel: 800-622-0828 / 325-235-5494 / Fax: 325-235-4672 / Email: sales@ludlums.com

Note: specifications subject to change without notification. We are not responsible for errors or omissions.

July 2016